

<u>Firefighter II Skill Stations</u> NFPA 1001 – Chapter 5 (2019 Edition)

Station A	Fire Ground Communications & Operations / Interior Attack Coordination	Mandatory
Station B	Sprinkler Drain / Pressures	Random
Station C	Fire Safety Presentation	Random
Station D	Inspection / Maintenance: Generator, Power Tools, & Lighting Equipment	Random
Station E	Gas Cylinder Fire Control *	Mandatory
Station F	Combustible Liquid Fire Control *	Mandatory
Station G	Hose Service Test	Random
Station H	Fire Scene Preservation	Random

<sup>\*</sup> NOTE: Either Station E or Station F MUST be tested. The station not used as a mandatory station may be used as a random station.



Station A - Fire Ground Communications & Operations / Interior Attack Coordination		Reference NFPA 1001 (2019 Edition) Chapter 5 Mandatory Station: JPRs 5.1.2, 5.2.2, 5.3.2			
Test S	Site Test Date (	Candidate #	Check the Tes	st Type	
			Initial	F	Retest
	nator Note: Indicate the position a candidate is assigned to a different position. The evaluator shall serve as			ach cand	idate is
_	Engine Company - Hose Line Officer Truck Company - Rescue Team Officer	Engine Company - Back Truck Company - Ventil	•		r
ssemb or the entilate Comma ondition entilate ire cor	ions: Given personnel, PPE, attack lines, tools, and commle a team and coordinate an interior attack to accomplish a conditions present; assure the techniques are communition, entry and search needs are demonstrated and coordinated is advised of changing hazards. You are evaluated on on present (e.g., attic, grade/upper levels, basement), forcibion procedures, evaluation/forecast developing fire growth additions. Do you have any questions?  Trance Outcome: Pass/ Fail is determined by 13 of 1	an assignment at a structure fire; icated to the attack team; team ated; fire growth and developme your ability to: assemble a team ble entry tools selected, use of so the and development and communication.	select approp coordination ent are monito n, attack techn earch & rescu- nicate hazardo	oriate tec n is main red and la nique for te techniq	hniques ntained; Incident the fire ues and
No.	Tasks			Yes	No
1	Demonstrates ability to communicates to all levels of t	the ICS structure			
2	Properly utilizes communications equipment and uses ap	propriate communications proce	edures		
3	Coordinates and transmit to the teams an appropriate p				
4	Executes the established goals and objectives for the as	ssignment			
5	Checks & insure personal and team's PPE/SCBA are pro	pperly worn and monitors during	use		
6	Selects proper tools/equipment for the assignment				
7	Monitors fire growth, and development and communic	cates changes to command			
8	Demonstrates appropriate search and rescue technique	S			
9	Demonstrates appropriate ventilation techniques				
10	Demonstrates acceptable techniques are used in compl	leting the assignments			
11	Monitors tactics to determine if outcomes are met and		ions		
12	Utilizes and operates within an established ICS				
13	Completes all tasks without compromising personal or	team safety			
		Please circle the final sk	ill outcome	PASS	FAII
				11100	
Eva	luator Comments:				
Eva	luator Signature:	Evaluator #			
Morra	h 2021				



STATION B: Sprinkler Drain / Pressures		Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.5.3		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

**Evaluator Note:** Provide the candidate with the pressure recording form. Review the candidate's documented pressure reading to evaluate Tasks #5, 9, and 10.

**Directions:** Locate and identify the sprinkler components for both a wet and dry pipe sprinkler system; then identify the procedure to / open and close the main drain valve on the wet pipe system. Next, read and record the appropriate pressures (system, air, and water) for both sprinkler systems on the sheet provided. Do you have any questions?

**Performance Outcome:** Pass/ Fail is determined by **8 of 11** tasks being correctly performed.

No.	Tasks	Yes	No
	WET-PIPE SYSTEM		
1	Identifies the main water control valve		
2	Identifies the main drain valve.		
3	Describes the procedure used to close / open the main water control valve		
4	Describes the procedure used to open / closes the main drain valve		
5	Documents the "system pressure" (PSI)		
	DRY-PIPE SYSTEM		
6	Identifies the main water control valve		
7	Identifies the dry-pipe valve		
8	Identifies the main drain valve.		
9	Documents the systems "water pressure" (PSI)		
10	Documents the systems "air pressure" (PSI)		
11	All appropriate PPE worn correctly, and personal safety is not compromised during the task		
	Please circle final skill outcome	PASS	FAIL
Eva	lluator Comments:		
Eva	luator Signature: Evaluator #		



STATION B: Sprinkler Drain / Pressures		Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.5.3		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

#### **Pressure Recording Form**

System Pressure Gauge:	
Water Pressure Gauge:	
Air Pressure Gauge:	

**NOTE:** All pressure readings **MUST** be recorded in Pounds Per Square Inch.



STATION C: Fire Safety Presentation		Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.5.2		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

**Evaluator Note:** Provide the candidate with the fire safety presentation/station tour log form. Review the candidate's documented presentation log form to ensure accuracy based on the topic/scenario given.

**Directions:** Given a fire safety presentation assignment, present a fire safety program to a **small** group or station visitors. The presentation should be brief (i.e., 5-10 minutes) yet informative and accurate. Answer all questions posed. Then document your fire safety presentation. Do you have any questions?

**Performance Outcome:** Pass / Fail is determined by **6 of 8** tasks being correctly performed.

No.	Tasks	Yes	No
1	Identifies self and organization		
2	Defines the topic		
3	Selects and explains the importance of the topic		
4	Uses informative and accurate information		
5	Demonstrates the ability to summarizes information		
6	Checks for and addresses questions appropriately		
7	Documents delivery of the presentation according to SOPs		
8	Completes the task in a professional manner		
	Please circle final skill outcome	PASS	FAIL
	luator Comments:		
Eva	luator Signature: Evaluator #		



STATION C: Fire Safety Presentation		Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.5.2		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

#### Fire Safety Presentation / Station Tour Log

<b>Date:</b>		Tim	ne:
Location:			
	Group: Age Range:		
Contact:		Ph	one:
Topic:			
Materials Used	:		
	Computer/Projector	Brochures/Handouts	Telephone
	Audio/Visual Aids	Smoke Detector(s)	PPE
_	Puppets/Costumes	Fire Extinguisher(s)	SCBA
	Other Training Aid(s):		
Narrative:			
Presenter:			Date:



STATION D: Inspection / Maintenance – Generator, Power Tools and Lighting Equipment		Reference NFPA 1001 (2019) Random Station: JPR 5.5.4	
Test Site	Test Date	Candidate #	Check the Test Type
			InitialRetest

**Directions:** Demonstrate your ability to maintain power plants (generator/inverter), power tools, and lighting equipment by performing a routine inspection of each unit provided. Describe what you are checking, and the conditions found during each inspection. Explain to the evaluator the necessary maintenance that would occur for each piece of equipment after use. Document your inspection and notify the evaluator if the equipment is in the ready state or needs repairs. Do you have any questions?

**Performance Outcome:** Pass / Fail is determined by **12 of 16** tasks being correctly performed.

No.	Task Steps	Yes	No		
	POWER SOURCE: GENERATOR / INVERTER (Portable or Vehicle Mounted)				
	Evaluator indicates the type of power source:				
1	Checks all fluids in of power plant to assure acceptable level (i.e., fuel, oil) (Mandatory to PASS)				
2	Checks all applicable components (e.g., spark plug & wire, belts, hoses, cords, connections, etc.)				
3	Checks entire unit for visible damage				
4	Turns on and operates the power plant (Mandatory to PASS)				
5	Turns off the power plant (Automatic Failure if turned off under load)				
6	Describes the necessary maintenance that would occur after use to be placed in a ready state				
	LIGHTING EQUIPMENT				
	Evaluator indicates the type of lighting equipment:				
7	Checks electrical cords for damage				
8	Checks entire unit for visible damage				
9	Sets-up and operates the lighting equipment (Mandatory to PASS)				
10	Describes the necessary maintenance that would occur after use to be placed in a ready state				
	POWER TOOL (Evaluator, please indicate the tool to inspect)				
	Power Tool Inspected:				
11	Checks all power tool components and accessories (i.e., chains/blades)				
12	Checks to determine guards and safety devices are in place and operable (Mandatory to PASS)				
13	Describes the necessary maintenance that would occur after use to be placed in a ready state				
14	Checks operating status of power tool while the generator is running (Mandatory to PASS)				
15	Operates tool safely and as intended (Mandatory to PASS)				
16	Completes all tasks without compromising personal safety				
	Please circle final skill outcome	PASS	<b>FAIL</b>		
Eva	Evaluator Comments:				
Eva	Evaluator Signature: Evaluator #				



STATION D: Inspection / Maintenance – Generator, Power Tools and Lighting Equipment		Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.5.4		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

**Directions:** After inspecting each unit (i.e., power plant, lighting equipment, power tool), document your actions and findings; Indicate whether the unit is in a ready state for use, or out-of-service and in need of repair. If any item/component is not in a ready state, briefly document the issue.

POWER SOURCE: GENERATOR / INVERTER (Describe items in need of service in the space provided)	Operational	Service Needed
Unit Condition (i.e., damage)		
Fluids		
Unit Components (e.g., ignition system, exhaust system, etc.)		
Unit operational		
Is the power plant ready for use? Yes No (If no, explain)		
LIGHTING EQUIPMENT		
Unit Condition (i.e., damage)		
Electrical cords		
Unit operational		
Is the lighting equipment ready for use? Yes No (If no, explain)		
POWER TOOL		
Unit Condition (e.g., damage, all parts present, etc.)		
Fluids (if applicable)		
Unit operational		
Is the power tool ready for use? Yes No (If no, explain)		
Candidate Signature:		



STATION E: Gas Cylinder Fire Control		Reference NFPA 1001 (2019 Mandatory/Random Station	
Test Site	Test Date	Candidate #	<b>Check the Test Type</b>
			InitialRetest

**Directions:** As a team, select the appropriate hose line to cool and approach a burning propane cylinder, shut the valve and extinguish the fire. Change the nozzle operator and repeat the evolution. Do you have any questions?

**Performance Outcome:** Pass / Fail is determined by **14 of 14** tasks being correctly performed.

No.	Tasks	Yes	No
1	Crew selects no larger than 1¾" attack line with combination nozzle		
2	A safe-haven is identified prior to advancing a hose line		
3	Contents are identified		
4	Crew initiates advancement of hose line utilizing a straight stream to cool cylinder		
5	Cylinder is cooled, and cylinder integrity is evaluated		
6	Crew widens stream pattern to fog as they approach the cylinder		
7	Nozzle operator protects crew with a fog pattern		
8	Back up person handles hose to facilitate nozzle operator's movements and control		
9	Crew successfully prevents flame from bypassing fog pattern		
10	Back-up person shuts off the cylinder valve		
11	Crew backs out using fog pattern for protection		
12	Team maintains control of the hose line at all times		
13	Candidates faced cylinder(s) during approach and retreat		
	CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 4 THRU 13		
14	Completes all tasks without compromising personal or team safety		
14		PASS	FAIL
	Completes all tasks without compromising personal or team safety	PASS	FAIL
	Completes all tasks without compromising personal or team safety  Please circle final skill outcome	PASS	FAIL
	Completes all tasks without compromising personal or team safety  Please circle final skill outcome	PASS	FAIL
	Completes all tasks without compromising personal or team safety  Please circle final skill outcome	PASS	FAII
	Completes all tasks without compromising personal or team safety  Please circle final skill outcome	PASS	FAII
Eva	Completes all tasks without compromising personal or team safety  Please circle final skill outcome		



rest Site  Test Date  Candidate #  Check the Test Type Initial  valuator Note: Please indicate the type of foam system used  Eductor ProPak Apparatus Systirections: As a team, select and assemble the proper appliances to create a 1½" or 1¾" foam line. Using the sembled, attack a combustible liquids fire and achieve knockdown/extinguishment. Upon achieving knock treat to a safe haven, switch positions, and complete a second attack and extinguish the fire. Do you have the sembled proper appliances to create a 1½" or 1¾" foam line. Using the sembled, attack a combustible liquids fire and achieve knockdown/extinguishment. Upon achieving knock treat to a safe haven, switch positions, and complete a second attack and extinguish the fire. Do you have the second attack and extinguish the fire. Do you have the second attack and extinguish the fire. Do you have the second attack and extinguish the fire. Do you have the second attack and extinguish the fire. Do you have the second attack and extinguish the fire. Do you have the second attack and extinguish the fire. Do you have the second attack and extinguish ment. Versue for the foam proportioning device  Team selects and connects proper foam eductor or foam proportioning device  Team creates a workable foam line; tests line for foam operation prior to an attack  A safe-haven is identified prior to advancing a hose line  Eductor/foam proportioning device  Team application to advancing a hose line  Eductor or 1½" or 1¾" foam attack and extinguish ment is achieved in a timely fashion  Rockdown/Extinguishment is achieved in a timely fashion  Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13  Team disassembles foam educator/foam proportioning device, and nozzle and returns same to storage  Team disassembles foam educator/foam proportioning device and nozzle and returns same to storage  Please circle final skill outcome	
aluator Note: Please indicate the type of foam system used Eductor ProPak Apparatus Systemetrions: As a team, select and assemble the proper appliances to create a 1½" or 1¾" foam line. Using the tembled, attack a combustible liquids fire and achieve knockdown/extinguishment. Upon achieving knocker to a safe haven, switch positions, and complete a second attack and extinguish the fire. Do you have stions?  **Tormance Outcome: Pass / Fail is determined by 12 of 12 tasks being correctly performed.**  No.	Apparatus System foam line. Using the line on achieving knockdown, e fire. Do you have any ned.
rections: As a team, select and assemble the proper appliances to create a 1½" or 1¾" foam line. Using the embled, attack a combustible liquids fire and achieve knockdown/extinguishment. Upon achieving knockered to a safe haven, switch positions, and complete a second attack and extinguish the fire. Do you have stions?  **Tormance Outcome: Pass / Fail is determined by 12 of 12 tasks being correctly performed.**  **No. Tasks Yes**  1 Team selects and connects proper foam eductor or foam proportioning device 2 Team selects and connects the proper nozzle for foam application 3 Team creates a workable foam line; tests line for foam operation prior to an attack 4 A safe-haven is identified prior to advancing a hose line 5 Eductor/foam proportioning device is properly set for the foam being used on the given fire 6 Attack is made from upwind direction (where possible) 7 Foam applied using a proper foam application technique (rain down, roll-over, bank down) 8 Knockdown/Extinguishment is achieved in a timely fashion 9 Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached **CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13** 10 Team properly flushes foam educator/foam proportioning device, and nozzle 11 Team disassembles foam educator/ foam proportioning device and nozzle and returns same to storage 12 Completes all tasks without compromising personal or team safety	foam line. Using the line on achieving knockdown, e fire. Do you have any ned.
Team selects and connects proper foam eductor or foam proportioning device Team selects and connects the proper nozzle for foam application Team creates a workable foam line; tests line for foam operation prior to an attack A safe-haven is identified prior to advancing a hose line Eductor/foam proportioning device is properly set for the foam being used on the given fire Attack is made from upwind direction (where possible) Foam applied using a proper foam application technique (rain down, roll-over, bank down) Knockdown/Extinguishment is achieved in a timely fashion Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13 Team properly flushes foam educator/foam proportioning device, and nozzle Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage Completes all tasks without compromising personal or team safety	Yes No
Team selects and connects proper foam eductor or foam proportioning device Team selects and connects the proper nozzle for foam application Team creates a workable foam line; tests line for foam operation prior to an attack A safe-haven is identified prior to advancing a hose line Eductor/foam proportioning device is properly set for the foam being used on the given fire Attack is made from upwind direction (where possible) Foam applied using a proper foam application technique (rain down, roll-over, bank down) Knockdown/Extinguishment is achieved in a timely fashion Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13 Team properly flushes foam educator/foam proportioning device, and nozzle Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage Completes all tasks without compromising personal or team safety	
Team selects and connects the proper nozzle for foam application  Team creates a workable foam line; tests line for foam operation prior to an attack  A safe-haven is identified prior to advancing a hose line  Eductor/foam proportioning device is properly set for the foam being used on the given fire  Attack is made from upwind direction (where possible)  Foam applied using a proper foam application technique (rain down, roll-over, bank down)  Knockdown/Extinguishment is achieved in a timely fashion  Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13  Team properly flushes foam educator/foam proportioning device, and nozzle  Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage  Completes all tasks without compromising personal or team safety	
Team creates a workable foam line; tests line for foam operation prior to an attack  A safe-haven is identified prior to advancing a hose line  Eductor/foam proportioning device is properly set for the foam being used on the given fire  Attack is made from upwind direction (where possible)  Foam applied using a proper foam application technique (rain down, roll-over, bank down)  Knockdown/Extinguishment is achieved in a timely fashion  Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13  Team properly flushes foam educator/foam proportioning device, and nozzle  Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage  Completes all tasks without compromising personal or team safety	
A safe-haven is identified prior to advancing a hose line  Eductor/foam proportioning device is properly set for the foam being used on the given fire  Attack is made from upwind direction (where possible)  Foam applied using a proper foam application technique (rain down, roll-over, bank down)  Knockdown/Extinguishment is achieved in a timely fashion  Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13  Team properly flushes foam educator/foam proportioning device, and nozzle  Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage  Completes all tasks without compromising personal or team safety	
Eductor/foam proportioning device is properly set for the foam being used on the given fire  Attack is made from upwind direction (where possible)  Foam applied using a proper foam application technique (rain down, roll-over, bank down)  Knockdown/Extinguishment is achieved in a timely fashion  Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13  Team properly flushes foam educator/foam proportioning device, and nozzle  Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage  Completes all tasks without compromising personal or team safety	
6 Attack is made from upwind direction (where possible) 7 Foam applied using a proper foam application technique (rain down, roll-over, bank down) 8 Knockdown/Extinguishment is achieved in a timely fashion 9 Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  **CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13**  10 Team properly flushes foam educator/foam proportioning device, and nozzle 11 Team disassembles foam educator/ foam proportioning device and nozzle and returns same to storage 12 Completes all tasks without compromising personal or team safety	
Foam applied using a proper foam application technique (rain down, roll-over, bank down)  Knockdown/Extinguishment is achieved in a timely fashion  Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13  Team properly flushes foam educator/foam proportioning device, and nozzle  Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage  Completes all tasks without compromising personal or team safety	
<ul> <li>Knockdown/Extinguishment is achieved in a timely fashion</li> <li>Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached         CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13     </li> <li>Team properly flushes foam educator/foam proportioning device, and nozzle</li> <li>Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage</li> <li>Completes all tasks without compromising personal or team safety</li> </ul>	
Team properly retreats/backs away from the fire, prevents re-flash, and safe-haven reached  **CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13**  Team properly flushes foam educator/foam proportioning device, and nozzle  Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage  Completes all tasks without compromising personal or team safety	
CANDIDATES SWITCH POSITIONS AND REPEAT TASKS 5 THRU 13  10 Team properly flushes foam educator/foam proportioning device, and nozzle  11 Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage  12 Completes all tasks without compromising personal or team safety	
10 Team properly flushes foam educator/foam proportioning device, and nozzle 11 Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage 12 Completes all tasks without compromising personal or team safety	
11 Team disassembles foam eductor/ foam proportioning device and nozzle and returns same to storage 12 Completes all tasks without compromising personal or team safety	
12 Completes all tasks without compromising personal or team safety	) storage
	, storage
Please circle final skill outcome PASS	l outcome PASS FAI
Evaluator Comments:	



March 2021

#### PENNSYLVANIA STATE FIRE ACADEMY FIREFIGHTER II SKILL STATIONS

STATION G: Hose - Service Testing		Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.5.5		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

**Evaluator Note:** For efficiency in skill testing, a full three (3) minutes need not be maintained once pressure is reached.

**Directions:** Using the equipment provided, conduct an annual service test on a 50-foot section of hose. Instruct the pump operator when you need the valves opened/closed and pressures increased/decreased. When done, document your test. Do you have any questions?

**Performance Outcome:** Pass / Fail is determined by **15** of **21** tasks being correctly performed.

No.	Tasks	Yes	No
1	Performs inspection of the hose and couplings (free of debris and/or signs of damage)		
2	Extends hose so that it is laid out straight without kinks or twists		
3	Checks hose gaskets were checked prior to making any connection		
4	Demonstrates ability to properly connect couplings and connections are spanner wrench tight		
5	Assembles configuration so the test gate valve is attached to pumper discharge, the hose is connected to the test gate valve, and the hose is anchored to the pumper at the test gate valve		
7	Secures rope hose tool/rope/strap 10" to 15" from the test gate valve. (Mandatory to PASS)		
8	Utilizes and connects an appropriate nozzle to the end of the test hose.		
9	Demonstrates ability to bleed off air in the hose line (Mandatory to PASS)		
10	Raises nozzle above the level of the pump discharge while bleeding the hose-line.		
11	Applies marks at hose couplings to check for creep (Mandatory to PASS)		
12	Secures leaking couplings to mitigate water loss (tightened, gasket changed)		
13	Checks to assure hose test gate valve is completely closed (Mandatory to PASS)		
14	Notifies pump operator of test pressure based on NFPA 1962 (2013 Ed.)		
	<ul> <li>Any fire hose marked must be service tested to the pressure stamped/marked on the hose.</li> <li>Attack fire hose not marked must be tested to a minimum of 300 psi.</li> <li>Supply fire hose not marked must be tested to a minimum of 200 psi</li> </ul>		
15	Notifies pump operator to increase pressure at an acceptable rate (i.e., 15 PSI per second) until desired pressure is attained ( <i>Mandatory to PASS</i> )		
16	Three (3) minute timeframe is ordered for maintaining pressure		
17	Notifies pump operator to slowly reduce pressure and close the discharge valve		
18	Performs pressure bleed-off at the nozzle and dismantles hose and nozzle and drains the hose		
19	Checks marks made at the hose couplings to determine if any coupling creep occurred		
20	Documents test results and reports same to the evaluator		
21	Completes all tasks without compromising personal safety		
	Please circle final skill outcome	PASS	FAIL
Eva	luator Comments:		
Eva	luator Signature: Evaluator #		



STATION G: Hose - Servi	ce Testing	Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.5.5		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

**Directions:** Document the hose test information, condition of the hose, the results, and any remarks.

Test Date	Hose ID No.	Hose Size	Hose Length	Condition	Service Test Pressure	Pass/Fail	Remarks



STATION H: Fire Scene Preservation		Reference NFPA 1001 (2019 Edition) Chapter 5 Random Station: JPR 5.3.4		
Test Site	Test Date	Candidate #	Check the Test Type	
			Retest	

**Evaluator Note:** An additional sheet is provided for the candidate to document the scene. Please review the candidate's notes and information to evaluate Tasks 2, 3, 4, and 9.

**Directions:** Using the equipment and tools provided, examine the fire scene, secure the area from further disturbance, note any possible evidence of cause/origin, notify (through your evaluator) any investigative or legal authorities needed, and take any other measures appropriate to conditions found. Do you have any questions?

**Performance Outcome:** Pass / Fail is determined by **7 of 10** tasks being correctly performed.

No.	Tasks	Yes	No
1	Candidate physically secures site, denies entry through the use of barrier tape, barricades, or		
	posting a guard.		
	Candidate records the following data on the clipboard provided		
2	What evidence was noted?		
3	Was any evidence disturbed? If so, how?		
4	Was evidence moved? If moved, where, how, and why?		
	Candidate deals appropriately with loss of life issues	l	
5	Candidate calls for coroner / medical examiner.		
6	Candidate calls for fire marshal investigative team.		
7	Candidate calls for law enforcement investigative team.		
8	Candidate preserves the dignity of deceased; covers remains from public view.		
9	If remains were moved, records position and location where initially found, and why moved?		
10	Completes all tasks in a professional manner and without compromising personal safety		
Eva	Please circle final skill outcome luator Comments:	TASS	
	luator Signature: Evaluator #		



STATION H: Fire Scene I	Preservation	Reference NFPA 1001 (2019 Edition) Chapte Random Station: JPR 5.3.4	
Test Site	Test Date	Candidate #	Check the Test Type
			InitialRetest

#### CANDIDATE'S NOTES AND DOCUMENTATION

